

FLINN SCIENTIFIC, INC.

Safety Data Sheet (SDS)

SDS #: 181.00

Revision Date: March 21, 2014

SECTION 1 — CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

n-Butyl Alcohol

Flinn Scientific, Inc. P.O. Box 219, Batavia, IL 60510 (800) 452-1261

CHEMTREC Emergency Phone Number: (800) 424-9300

Signal Word **DANGER**

Pictograms



SECTION 2 — HAZARDS IDENTIFICATION

Hazard class: Flammable liquids (Category 3). Flammable liquid and vapor (H226). Keep away from heat, sparks, open flames, and hot surfaces. No smoking (P210).

Hazard class: Acute toxicity, oral (Category 4). Harmful if swallowed (H302). Do not eat, drink or smoke when using this product (P270).

Hazard class: Skin corrosion or irritation (Category 2). Causes skin irritation (H315).

Hazard class: Serious eye damage or irritation (Category 1). Causes serious eye damage (H318).

Hazard class: Specific target organ toxicity, single exposure; respiratory tract irritation (Category 3). May cause respiratory irritation (H335).

Hazard class: Specific target organ toxicity, single exposure; Narcotic effects (Category 3). May cause drowsiness or dizziness (H336). Avoid breathing mist, vapors or spray (P261).

SECTION 3 — COMPOSITION, INFORMATION ON INGREDIENTS

Component Name	CAS Number	Formula	Formula Weight	Concentration
n-Butyl alcohol	71-36-3	CH ₃ (CH ₂) ₂ CH ₂ OH	74.12	
Synonyms: 1-Butanol; n-Butanol				

SECTION 4 — FIRST AID MEASURES

Call a POISON CENTER or physician if you feel unwell (P312).

If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing (P304+P340).

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so. Continue rinsing (P305+P351+P338).

If on skin (or hair): Immediately remove all contaminated clothing. Rinse skin with water (P303+P361+P353).

If swallowed: Rinse mouth. Call a POISON CENTER or physician if you feel unwell (P302+P301+P312).

SECTION 5 — FIRE FIGHTING MEASURES

Class 1C flammable liquid.

Flash point: 37 °C Flammable limits: Lower: 1.4% Upper: 11.2% Autoignition Temperature: 343 °C

When heated to decomposition, may emit toxic fumes.

In case of fire: Use a tri-class dry chemical fire extinguisher (P370+P378).

NFPA CODE

H-2

F-3

R-0

SECTION 6 — ACCIDENTAL RELEASE MEASURES

Remove all ignition sources and ventilate area. Contain the spill with sand or other inert absorbent material and deposit in a sealed bag or container. See Sections 8 and 13 for further information.

SECTION 7 — HANDLING AND STORAGE

Flinn Suggested Chemical Storage Pattern: Organic #2. Store with alcohols, glycols, amines and amides. Store in a dedicated flammables cabinet. If a flammables cabinet is not available, store in Flinn Saf-Stor™ can. Keep container tightly closed (P233). Keep cool (P235). Use only in a hood or well-ventilated area (P271).

SECTION 8 — EXPOSURE CONTROLS, PERSONAL PROTECTION

Wear protective gloves, protective clothing, and eye protection (P280). Wash hands thoroughly after handling (P264). Use only in a hood or well-ventilated area (P271).

Exposure guidelines: PEL 100 ppm (OSHA) TLV 20 ppm (ACGIH)

SECTION 9 — PHYSICAL AND CHEMICAL PROPERTIES

Clear colorless liquid. Wine-like odor.

Soluble: Water (20%). Miscible with alcohol and ether.

Boiling point: 117.7 °C

Melting point: -89 °C

Refractive index: 1.3988

Specific gravity: 0.81

SECTION 10 — STABILITY AND REACTIVITY

Avoid contact with aluminum, chromium trioxide, and oxidizing materials.

Substance may develop explosive hydroperoxides.

Shelf life: Fair, substance may oxidize. See Section 7 for further information.

SECTION 11 — TOXICOLOGICAL INFORMATION

Acute effects: Absorbed through skin. Eye, skin, respiratory tract irritation. Dizziness. CNS depression.

Chronic effects: N.A.

Target organs: Eyes, skin, respiratory system, central nervous system.

N.A. = Not available, not all health aspects of this substance have been fully investigated.

ORL-RAT LD₅₀: 790 mg/kg

IHL-RAT LC₅₀: 8000 ppm/4H

SKN-RBT LD₅₀: 3400 mg/kg

SECTION 12 — ECOLOGICAL INFORMATION

Data not yet available.

SECTION 13 — DISPOSAL CONSIDERATIONS

Please review all federal, state and local regulations that may apply before proceeding.

Flinn Suggested Disposal Method #18b is one option.

SECTION 14 — TRANSPORT INFORMATION

Shipping name: Butanols. Hazard class: 3, Flammable liquid. UN number: UN1120.

N/A = Not applicable

SECTION 15 — REGULATORY INFORMATION

TSCA-listed, EINECS-listed (200-751-6), RCRA code U031.

SECTION 16 — OTHER INFORMATION

This Safety Data Sheet (SDS) is for guidance and is based upon information and tests believed to be reliable. Flinn Scientific, Inc. makes no guarantee of the accuracy or completeness of the data and shall not be liable for any damages relating thereto. The data is offered solely for your consideration, investigation, and verification. The data should not be confused with local, state, federal or insurance mandates, regulations, or requirements and CONSTITUTE NO WARRANTY. Any use of this data and information must be determined by the science instructor to be in accordance with applicable local, state or federal laws and regulations. The conditions or methods of handling, storage, use and disposal of the product(s) described are beyond the control of Flinn Scientific, Inc. and may be beyond our knowledge. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THIS PRODUCT(S).

Consult your copy of the *Flinn Science Catalog/Reference Manual* for additional information about laboratory chemicals.

Revision Date: March 21, 2014