

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name *Rust Free*

Other Means of Identification

SDS # 890

UN/ID No UN2924

Product Code 890

Recommended Use of the Chemical and Restrictions on Use

Recommended Use Rust and corrosion remover

Details of the Supplier of the Safety Data Sheet**Supplier Information:**

PMS Products, Inc.
76 Veterans Dr. #110
Holland, MI 49423

Emergency Telephone Number

Company Phone Number 800-962-1732
Emergency Telephone INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America) INFOTRAC REFERENCE NO. 88867

2. HAZARDS IDENTIFICATION

Classification

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin Corrosion/Irritation	Category 1 Sub-category C
Serious Eye Damage/Eye Irritation	Category 1
Flammable liquids	Category 3

Signal Word

Danger

Hazard Statements

Harmful if inhaled
Causes severe skin burns and eye damage
Flammable liquid and vapor



Appearance Clear liquid

Physical State Liquid

Odor Mild

Precautionary Statements - Prevention

Use only well-ventilated area
 Do not breathe dust/fume/gas/mist/vapors/spray
 Wash face, hands and any exposed skin thoroughly after handling
 Wear protective gloves/protective clothing/eye protection/face protection
 Keep away from heat/sparks/open flames/hot surfaces. — No smoking
 Keep container tightly closed
 Ground/bond container and receiving equipment
 Use explosion-proof equipment
 Use only non-sparking tools
 Take precautionary measures against static discharge

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 Immediately call a POISON CENTER or doctor/physician
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
 Wash contaminated clothing before reuse
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
 Immediately call a POISON CENTER or doctor/physician
 IF SWALLOWED: Rinse mouth. DO NOT induce vomiting
 In case of fire: Use CO₂, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store locked up
 Store in a well-ventilated place.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Toxic to aquatic life with long lasting effects
 Toxic to aquatic life

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Phosphoric acid	7664-38-2	<30
Isopropyl alcohol	67-63-0	<10
Ethoxylated Alcohol	66455-14-9	<10

4. FIRST AID MEASURES

First Aid Measures

General Advice	Provide this SDS to medical personnel for treatment.
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Seek immediate medical attention/advice.
Eye Contact	Flush material out immediately with large amounts of water for at least 15 minutes, holding eye lids apart to insure flushing of the entire surface. Washing eyes within several seconds is essential to achieve maximum effectiveness. Get medical attention immediately.

Ingestion	Never give anything by mouth to an unconscious person. If swallowed, do not induce vomiting. Drink 1-2 glasses of water. If vomiting occurs spontaneously, keep airway clear. Get medical attention immediately.
Skin Contact	Immediately remove contaminated clothing and flush affected areas with plenty of water for at least 15 minutes. Wash contaminated clothing before reuse, discard footwear, which cannot be decontaminated. Get medical attention immediately.

Most Important Symptoms and Effects, both Acute and Delayed

Symptoms	Corrosive to all body tissues by all routes of exposure. The effect of local dermal exposure may consist of multiple areas of superficial destruction of the skin or of primary irritant dermatitis. Similarly, inhalation of dust, spray or mist may result in varying degrees of irritation or damage to the respiratory tract tissues and an increased susceptibility to respiratory illness.
-----------------	--

Indication of any Immediate Medical Attention and Special Treatment Needed

Note to Physicians	Treat symptomatically. Exposure may aggravate medical conditions such as asthma, lung disease, and skin disorders.
---------------------------	--

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Carbon dioxide, dry chemical, water fog, foam.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Flammable/combustible material.

Sensitivity to Static Discharge Flammable mixtures of this product are readily ignited even by static discharge.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions	ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Wear protective clothing as described in Section 8 of this safety data sheet.
-----------------------------	--

Methods and Material for Containment and Cleaning Up

Methods for Containment	Prevent further leakage or spillage if safe to do so. Absorb spill with inert material (e.g. dry sand or earth).
Methods for Cleaning Up	Use clean non-sparking tools to collect absorbed material. Sweep up and shovel into suitable containers for disposal. Discard any product, residue, disposable container or liner in full compliance with federal, state, and local regulations. For waste disposal, see section 13 of the SDS.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Advice on Safe Handling

Handle in accordance with good industrial hygiene and safety practice. Use only in well-ventilated areas. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands, and any exposed skin thoroughly after handling. Use personal protection recommended in Section 8. Ground container and transfer equipment to eliminate static electric sparks. Avoid contact with skin, eyes or clothing. Use explosion proof equipment. Take precautionary measures against static discharges.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep locked up and out of reach of children. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Storage temperature should be between 50°F - 120°F.

Incompatible Materials

Strong oxidizing agents. Alkalis. Metals. Bleach.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Phosphoric acid 7664-38-2	STEL: 3 mg/m ³ TWA: 1 mg/m ³	TWA: 1 mg/m ³ (vacated) TWA: 1 mg/m ³ (vacated) STEL: 3 mg/m ³	IDLH: 1000 mg/m ³ TWA: 1 mg/m ³ STEL: 3 mg/m ³
Isopropyl alcohol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m ³ (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m ³ (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m ³	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m ³ STEL: 500 ppm STEL: 1225 mg/m ³

Appropriate Engineering Controls

Engineering Controls

Provide natural or mechanical ventilation to control exposure levels below airborne exposure limits.

Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection

Wear goggles or chemical safety glasses.

Skin and Body Protection

Wear protective gloves and protective clothing. Rubber or PVC (gloves and boots).

Respiratory Protection

No special equipment needed.

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State
Appearance
Color

Liquid
Clear liquid
Clear

Odor
Odor Threshold

Mild
Not determined

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	1	
Melting Point/Freezing Point	Not applicable	
Boiling Point/Boiling Range	Not determined	
Flash Point	> 150 °F	
Evaporation Rate	1	(butyl acetate = 1)
Upper Flammability Limits	Not determined	
Lower Flammability Limit	Not determined	
Vapor Pressure	Not determined	
Vapor Density	Not determined	
Specific Gravity	1.16	
Water Solubility	Completely soluble	
RVOC	<10%	

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

Excessive heat or cold. Contamination of any kind.

Incompatible Materials

Strong oxidizing agents. Alkalis. Metals. Bleach.

Hazardous Decomposition Products

Heating phosphoric acid to decomposition yields toxic phosphorus pentoxide fumes.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information

Inhalation	Harmful if inhaled.
Eye Contact	Causes severe eye damage.
Skin Contact	Causes severe skin burns.
Ingestion	Can cause irritation and corrosive burns to mouth, throat, and stomach.

Component Information

<u>Chemical Name</u>	<u>Oral LD50</u>	<u>Dermal LD50</u>	<u>Inhalation LC50</u>
Phosphoric acid 7664-38-2	= 1530 mg/kg (Rat)	= 2730 mg/kg (Rabbit)	> 850 mg/m ³ (Rat) 1 h
Isopropyl alcohol 67-63-0	= 4396 mg/kg (Rat)	= 12800 mg/kg (Rat) = 12870 mg/kg (Rabbit)	= 72.6 mg/L (Rat) 4 h
Ethoxylated Alcohol 66455-14-9	> 10 g/kg (Rat)	> 2 g/kg (Rat)	-

Information on Physical, Chemical and Toxicological Effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Carcinogenicity Isopropyl Alcohol (IPA) is an IARC Monograph Group 3 chemical. IPA is a Group 1 when manufactured by the strong-acid process.

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl alcohol 67-63-0		Group 3		X

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Numerical Measures of Toxicity

Not determined

12. ECOLOGICAL INFORMATION**Ecotoxicity**

Toxic to aquatic organisms. Toxic to aquatic life with long lasting effects.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Phosphoric acid 7664-38-2		3 - 3.5: 96 h Gambusia affinis mg/L LC50		4.6: 12 h Daphnia magna mg/L EC50
Isopropyl alcohol 67-63-0	1000: 96 h Desmodemus subspicatus mg/L EC50 1000: 72 h Desmodemus subspicatus mg/L EC50	9640: 96 h Pimephales promelas mg/L LC50 flow-through 11130: 96 h Pimephales promelas mg/L LC50 static 1400000: 96 h Lepomis macrochirus µg/L LC50		13299: 48 h Daphnia magna mg/L EC50

Persistence and Degradability

Not determined

Bioaccumulation

Not determined

Mobility

Not determined

Chemical Name	Partition Coefficient
Isopropyl alcohol 67-63-0	0.05

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS**Waste Treatment Methods****Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging Do not reuse container. Triple rinse empty container with water. Plastic containers may be offered for recycling.

Chemical Name	California Hazardous Waste Status
Phosphoric acid 7664-38-2	Corrosive
Isopropyl alcohol 67-63-0	Toxic Ignitable

14. TRANSPORT INFORMATION

Note Shipping descriptions apply to gallon size containers or larger, otherwise use shipping description for Ltd. Qty.

DOT

UN/ID No UN2924
 Proper Shipping Name Flammable liquids, corrosive, n.o.s (Isopropanol and Phosphoric acid)
 Hazard Class 3
 Subsidiary Hazard Class 8
 Packing Group III
 Reportable Quantity (RQ) 5000 lbs Phosphoric acid

IATA

UN/ID No UN2924
 Proper Shipping Name Flammable liquid, corrosive, n.o.s (Isopropanol and Phosphoric acid)
 Hazard Class 3
 Subsidiary Hazard Class 8
 Packing Group III

IMDG

UN/ID No UN2924
 Proper Shipping Name Flammable liquid, corrosive, n.o.s (Isopropanol and Phosphoric acid)
 Hazard Class 3
 Subsidiary Hazard Class 8
 Packing Group III

15. REGULATORY INFORMATION

International Inventories

TSCA Listed
 DSL Listed
 NDSL Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

SARA 313

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
---------------	--------	----------	-------------------------------

Isopropyl alcohol - 67-63-0	67-63-0	<10	1.0
-----------------------------	---------	-----	-----

CWA (Clean Water Act)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Phosphoric acid 7664-38-2	5000 lb			X

CERCLA

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Phosphoric acid 7664-38-2	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

US State Regulations**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Phosphoric acid 7664-38-2	X	X	X
Isopropyl alcohol 67-63-0	X	X	X

16. OTHER INFORMATION

NFPA	Health Hazards	Flammability	Instability	Special Hazards
	3	2	1	Not determined
HMIS	Health Hazards	Flammability	Physical Hazards	Personal Protection
	3	2	1	Not determined

Issue Date 06-Jul-2011
Revision Date 14-Apr-2014
Revision Note New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet