### I. Basic Information:

Manufacturer: U.N.X. INCORPORATED Address: 707 ARLINGTON BLVD. City, ST Zip: GREENVILLE, NC 27858 Country: USA Contact: AMENDT; WILSON Information Telephone Number: 252-756-8616 Emergency Contact: CHEMTEL Emergency Telephone Number: 800-255-3924 Emergency Restrictions:

Product Name: BREAK-FREE MSDS No.: 785

Issue Date: 12/08/2006 Supersedes Date: 12/06/2005

## II. Hazards Identification:

#### EMERGENCY OVERVIEW

INHALATION, CAN IRRITATE NOSE, THROAT, AND LUNGS. SKIN CONTACT, CAN CAUSE TISSUE DESTRUCTION. INGESTION, EXTREMELY HIGH TOXICITY. WILL CAUSE BURNS TO MOUTH AND THROAT.

#### **OSHA Regulatory Status**

While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product.

#### Potential Health Effects

#### Route(s) of Entry:

SKIN, EYES, INHALATION

#### Health Hazards (Acute and Chronic):

PRODUCT, CAN BE DESTRUCTIVE TO TISSUE. SKIN BURNS CAN BE PRODUCED. CONTACT WITH EYES CAN CAUSE PERMANENT DAMAGE.

#### Signs and Symptoms:

INHALATION, CAN IRRITATE NOSE, THROAT, AND LUNGS. SKIN CONTACT, CAN CAUSE TISSUE DESTRUCTION. INGESTION, EXTREMELY HIGH TOXICITY. WILL CAUSE BURNS TO MOUTH AND THROAT.

## Medical Conditions Generally Aggravated by Exposure:

NONE

#### Other Health Warnings:

NONE KNOWN

#### Potential Environmental Effects

NONE KNOWN

## III. Composition/Information on Ingredients:

Chemical Name	CAS No.	% Range	Trade Secret
PSRN57948000-5035P	TradeSecret	0-5	
PSRN57948000-5058P	TradeSecret	0-10	
PSRN57948000-5063P	TradeSecret	0-10	
Sodium hydroxide	1310732	10-20	
Water	7732185	65-75	

## IV. First Aid Measures:

#### Emergency and First Aid Procedures:

FOR SKIN, FLUSH THOROUGHLY WITH WATER UNTIL "SLIPPERY" FEELING IS GONE.

FOR EYES, FLUSH WITH WARM WATER FOR AT LEAST 15 MINUTES. CONTACT PHYSICIAN.

IF INGESTED, DRINK LARGE VOLUMES OF WATER FOLLOWED BY MILD ACIDS SUCH AS 5% ACETIC ACID, ORANGE JUICE, OR ANY CITRUS JUICE. DO NOT INDUCE VOMITING. CALL PHYSICIAN.

## MSDS - Material Safety Data Sheet

#### Note to Physicians:

EYES, FLUSH WITH WATER FOR AT LEAST 15 MINUTES. DO NOT INDUCE VOMITING.

## V. Fire Fighting Measures:

## Suitable Extinguishing Media:

DRY CHEMICAL, WATERFOG, CO2, FOAM

#### Unsuitable Extinguishing Media:

NONE KNOWN

#### Products of Combustion:

EXPLOSIVE HYDROGEN GAS CAN BE RELEASED.

#### Protection of Firefighters:

USE NIOSH/MSHA APPROVED SELF CONTAINED BREATHING APPARATUS WHERE PRODUCT IS INVOLVED IN FIRE.

## VI. Accidental Release Measures:

## Personal Precautions:

RUBBER GLOVES SHOULD BE WORN. SAFETY GOGGLES SHOULD BE WORN.

#### **Environmental Precautions:**

NONE KNOWN

#### Methods for Containment:

DIKE; APPROVED PLASTIC CONTAINERS

#### Methods for Cleanup:

FOR A SMALL SPILL, IMMEDIATELY HOSE DOWN WITH COOL WATER AND DISPOSE DOWN DRAIN. FOR LARGE SPILLS, DIKE, COLLECT AND ADD SLOWLY TO A LARGE VOLUME OF COOL WATER WITH CONSTANT STIRRING. THEN SLOWLY NEUTRALIZE TO A pH OF 7.0 WITH MURATIC OR PHOSPHORIC ACID SOLUTIONS.

#### Other Information:

Not Available

## VII. Handling and Storage:

#### Handling Precautions:

KEEP CONTAINER CLOSED.

#### Storage Precautions:

STORE IN A DRY PLACE. DO NOT STORE WITH STRONG ACIDS.

## VIII. Exposure Controls/Personal Protection:

Chemical Name	OSHA PEL	ACGIH TLV	Other Limits
Sodium hydroxide	2mg/m3	2mg/m3	Not Available
Water	Not Available	Not Available	Not Available
PSRN57948000-5058P	Not Available	Not Available	Not Available
PSRN57948000-5063P	Not Available	Not Available	Not Available
PSRN57948000-5035P	Not Available	Not Available	Not Available

#### **Engineering Controls:**

AVOID BREATHING MIST. IF EXPOSURE IS LIKELY, USE FILTER OR PROTECTIVE RESPIRATOR. MECHANICAL VENTILATION IS ACCEPTABLE.

#### Personal Protective Equipment:

## MSDS - Material Safety Data Sheet

RUBBER GLOVES SHOULD BE WORN. SAFETY GOGGLES SHOULD BE WORN. OTHER PROTECTIVE MEASURES: HAVE AN EYE BATH AND SAFETY SHOWER CLOSE BY. IF POTENTIAL FOR SKIN CONTACT, HAVE AN ACID HAND WASH NEAR BY (ie. VINEGAR SOLUTION.). WORK HYGIENIC PRACTICES: WASH HANDS, CHANGE OUT OF CLOTHES AS SOON AS POSSIBLE. WASH CLOTHES. SHOWER OR BATHE AS SOON AS POSSIBLE.

## IX. Physical and Chemical Properties:

Boiling Point: 140°C Boiling Range: NO DATA Solubility In Water: EXCELLENT Flash Point: N/A Odor Threshold: NO DATA Vapor Density (AIR = 1): NO DATA pH Range: 12.5 - Above Decomposition Temp: NO DATA Lower Explosive Limit: N/A Specific Gravity (H20 = 1): 1.11030 Other Information: THIS PRODUCT CONTAINS NO PHOSPHATES.

Melting Point: N/A Freezing Point: -8°C Evaporation Rate (Butyl Acetate = 1): N/A Flash Point Method: N/A Appearance and Odor: Vapor Pressure (mm Hg.): 13 Partition Coefficient: NO DATA Auto-Ignition Temp: NO DATA Upper Explosive Limit: N/A

## X. Stability and Reactivity:

#### Stability:

VERY STABLE

#### Conditions to Avoid:

AVOID CONTACT WITH ALUMINUM, ZINC, MAGNESIUM, COPPER. EXPLOSIVE HYDROGEN GAS CAN BE RELEASED.

#### Incompatible Materials:

OXIDIZABLE OR COMBUSTIBLE ORGANIC MATERIALS, STRONG OXIDIZERS.

#### Hazardous Decomposition Products:

EXPLOSIVE HYDROGEN GAS CAN BE RELEASED.

## Possibility of Hazardous Reactions:

HAZARDOUS POLYMERIZATION WILL NOT OCCUR.

## XI. Toxicological Information:

CONTACT U.N.X. INCORPORATED

## XII. Ecological Information:

#### CONTACT U.N.X. INCORPORATED

## XIII. Disposal Considerations:

FOR A SMALL SPILL, IMMEDIATELY HOSE DOWN WITH COOL WATER AND DISPOSE DOWN DRAIN. FOR LARGE SPILLS, DIKE, COLLECT AND ADD SLOWLY TO A LARGE VOLUME OF COOL WATER WITH CONSTANT STIRRING. THEN SLOWLY NEUTRALIZE TO A pH OF 7.0 WITH MURATIC OR PHOSPHORIC ACID SOLUTIONS. DISPOSE OF DOWN DRAIN AFTER APPROVAL OF APPROPRIATE AUTHORITIES. CLEAN AND NEUTRALIZE ALL AREAS OF CONTACT.

## XIV. Transport Information:

Shipping Name: COMPOUND, CLEANING LIQUID, (SODIUM HYDROXIDE)

# MSDS - Material Safety Data Sheet

DOT Hazard Class: 8			DOT S	ubsidiary Hazard Class: Not Available
UN/NA#: NA 1760	O MSDSPackGroup: 1			PackGroup:
Transportation Informa	tion:			
NA 1760 DOT HAZARD CLASS: 8 LABEL: CORROSIVE PG: II PROPER SHIPPING NA		EANING LIQUID, (SOI	DIUM HYDROXIC	)E)
XV. Regulatory Inf	formation:			
UNLESS OTHERWISE I THE INGREDIENTS OF THIS PRODUCT IS NOT	THIS PRODUCT ARE	ELISTED ON THE TSO	A INVENTORY.	13 40 CFR LISTED MATERIALS. IE OZONE LAYER.
XVI. Other Inform	ation:			
Chemical State: Chemical Type:	Liquid	Gas X Mixture	Solid	NFPA Fire 0
Hazard Category:		Fire Reactive		Health Realetivity
	Pressure	Reactive		COR Special
Additional Manufacture		Reactive		

Additional Product Information:

OVEN AND GRILL CLEANER