

Spartan Chemical Company, Inc. **Material Safety Data Sheet**

SECTION I: PRODUCT INFORMATION

Product Name or Number (as it appears on label):

CLEAN BY PEROXY Product Number: 0035

Product Division: Janitorial

Spartan Chemical Company, Inc. 1110 Spartan Drive

Maumee OH 43537

Product/Technical Information: 1-(800)-537-8990

Medical Emergency: 1-(888)-314-6171 (24 hours)

Chemical Leak/Spill Emergency: CHEMTREC 1-(800) 424-9300 (24 hours)

Shipping Description: Non-Hazardous Products

NFPA Ratings:	HMIS Ratings:
Health: 2 - Moderate	Health: 2 - Moderate
Fire: 0 - Minimal	Fire: 0 - Minimal
Reactivity: 1- Slight	Reactivity: 1- Slight
	Pers. Prot. Equip.: See Section VIII

SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

				Table Z-1-A		
Chemical Name(s)	%Wt	CAS Registry No.	TWA mg/m³	STEL mg/m³	CEILING mg/m³	NTP, IARC or OSHA Carcinogen
Alcohol ethoxylate	1-5	34398-01-1	Not Established	Not Established	Not Established	No
Hydrogen peroxide	1-5	7722-84-1	1.4	Not Established	Not Established	No
Alcohol ethoxylate	1-5	68439-46-3	Not Established	Not Established	Not Established	No
Quaternary amine	1-5	68478-94-4	Not Established	Not Established	Not Established	No
Fragrance	< 1.0	Proprietary	Not Established	Not Established	Not Established	No

OLOTION IN THI CIC. L. P. I	SECTION III:	PHYSICAL	DATA
-----------------------------	--------------	----------	------

Boiling Point: 210-212 °F	Vapor Pressure: Undetermined
Vapor Density (AIR = 1): Unknown	Solubility in Water: Complete
pH: Undiluted: 2.1-3.0 Diluted 1:64: 3.0-4.0	Specific Gravity (H ₂ O=1): 1.014
Evaporation Rate (but.ace.=1): <1	Percent Solid by Weight: 5-10
Physical State: Liquid	
Appearance & Odor: Pale blue liquid, pleasant odor	

SECTION IV: FIRE & EXPLOSIVE HAZARD DATA

Flash Point: > 212°F	Method Used: ASTM-D56
Flammable Limits: Not Established	Flame Extension: N/A
Extinguishing Media: Product does not support com	bustion. Use extinguishing media appropriate for surrounding fire.
containers with water spray.	ontained breathing apparatus and protective clothing. Cool fire-exposed
Unusual Fire & Explosive Hazards: Combustion products are toxic	c. Releases oxygen when burned.

Threshold Limit Value:			Entry: Inhalation, Skin Contact, Eyes & Oral
Effects of Overexposure-	Causes eye irritation: Symptoms m	ay include pain, redness, sw	elling and possible tissue damage.
Conditions to Avoid:	Causes skin irritation: Symptoms m		
	May be harmful if swallowed: Symp	otoms may include nausea, v	omiting, pain and diarrhea.
	breathing.	respiratory irritation: Symp	otoms may include coughing and difficulty
	Do not get in eyes, on skin, or on		product mist. Do not swallow. Use with
	adequate ventilation. Wash thoroug		
	Use of this product may aggravate product dermatitis.	preexisting skin; eye and res	piratory disorders including asthma and
Emergency & First Aid Procedures:			
	Flush eyes with water for at least 15		
Skin:	12.50		enty of water for at least 15 minutes. Get
	medical attention if irritation persists		
Ingestion:	Do not induce vomiting. Drink one of	or two glasses of water to dil	ute product. Do not give anything by
	mouth to an unconscious person.		
Inhalation:	Move person to fresh air. Get medic	cal attention if irritation persi	sts.
Note to Physician: Contains hydrogen	peroxide. Ingestion may result in dis	stention of the esophagus an	nd stomach
SECTION VI: REACTIVITY DATA			
Stability:	Stable	Incompatible Mate	erials: Metals; metal ions; organic materials
	Stable		hypochlorites and oxidizable
		1	materials
Hazardous Decomposition Products: SECTION VII: SPILL OR LEAK PROC		Hazardous Polymeriza	The state of the s
SECTION VII: SPILL OR LEAK PROC	Small spills of one gallon or less mapermitted by local sewer regulations	y be flushed with plenty of w). Dike and contain large sp	ation: Will Not Occur vater to sanitary sewer system (If bills with inert material and transfer liquid
SECTION VII: SPILL OR LEAK PROC Steps to be Taken in Case Material is Released or Spilled:	Small spills of one gallon or less ma permitted by local sewer regulations to containers for disposal. Keep spi	y be flushed with plenty of w). Dike and contain large sp ll out of storm sewers and w	vater to sanitary sewer system (If bills with inert material and transfer liquid aterways.
SECTION VII: SPILL OR LEAK PROC Steps to be Taken in Case Material is Released or Spilled:	Small spills of one gallon or less mapermitted by local sewer regulations	y be flushed with plenty of w). Dike and contain large sp ll out of storm sewers and w	vater to sanitary sewer system (If bills with inert material and transfer liquid aterways.
SECTION VII: SPILL OR LEAK PROC Steps to be Taken in Case Material is Released or Spilled:	Small spills of one gallon or less ma permitted by local sewer regulations to containers for disposal. Keep spi Dispose of in compliance with all fee	y be flushed with plenty of w). Dike and contain large sp ll out of storm sewers and w	vater to sanitary sewer system (If bills with inert material and transfer liquid aterways.
SECTION VII: SPILL OR LEAK PROC Steps to be Taken in Case Material is Released or Spilled: Waste Disposal Method: SECTION VIII: SPECIAL PROTECTION	Small spills of one gallon or less ma permitted by local sewer regulations to containers for disposal. Keep spi Dispose of in compliance with all fee	y be flushed with plenty of w). Dike and contain large sp Il out of storm sewers and w deral, state and local laws ar eneral ventilation is provided ion occurs, use of a NIOSH	vater to sanitary sewer system (If bills with inert material and transfer liquid aterways. Ind regulations. Ind. However, if exposure limits (see Section approved respirator suitable for the
SECTION VII: SPILL OR LEAK PROC Steps to be Taken in Case Material is Released or Spilled: Waste Disposal Method: SECTION VIII: SPECIAL PROTECTION	Small spills of one gallon or less ma permitted by local sewer regulations to containers for disposal. Keep spi Dispose of in compliance with all fee ON INFORMATION Not normally required when good go II) are exceeded or respiratory irrital use-conditions and chemicals in Se	y be flushed with plenty of w.). Dike and contain large sp. Il out of storm sewers and w. deral, state and local laws ar eneral ventilation is provided ion occurs, use of a NIOSH ction II should be considered.	vater to sanitary sewer system (If bills with inert material and transfer liquid aterways. Ind regulations. Indicate the ways are limits (see Section approved respirator suitable for the it.
SECTION VII: SPILL OR LEAK PROC Steps to be Taken in Case Material is Released or Spilled: Waste Disposal Method: SECTION VIII: SPECIAL PROTECTION Respiratory Protection:	Small spills of one gallon or less ma permitted by local sewer regulations to containers for disposal. Keep spi Dispose of in compliance with all feet ON INFORMATION Not normally required when good ge II) are exceeded or respiratory irritat use-conditions and chemicals in Septonic Provide good general ventilation.	y be flushed with plenty of w.). Dike and contain large sp. Il out of storm sewers and w. deral, state and local laws ar eneral ventilation is provided ion occurs, use of a NIOSH ction II should be considered ocal exhaust ventilation may	vater to sanitary sewer system (If bills with inert material and transfer liquid aterways. Ind regulations. Indicate the ways are limits (see Section approved respirator suitable for the it.
SECTION VII: SPILL OR LEAK PROC Steps to be Taken in Case Material is Released or Spilled: Waste Disposal Method: SECTION VIII: SPECIAL PROTECTIO Respiratory Protection: Ventilation: Protective Gloves(Specify Type):	Small spills of one gallon or less ma permitted by local sewer regulations to containers for disposal. Keep spi Dispose of in compliance with all feet ON INFORMATION Not normally required when good ge II) are exceeded or respiratory irritat use-conditions and chemicals in Seprovide good general ventilation. Le	y be flushed with plenty of w.). Dike and contain large sp. Il out of storm sewers and w. deral, state and local laws ar eneral ventilation is provided ion occurs, use of a NIOSH ction II should be considered ocal exhaust ventilation may are recommended.	vater to sanitary sewer system (If bills with inert material and transfer liquid aterways. Ind regulations. Indicate the ways are limits (see Section approved respirator suitable for the it.
SECTION VII: SPILL OR LEAK PROC Steps to be Taken in Case Material is Released or Spilled: Waste Disposal Method: SECTION VIII: SPECIAL PROTECTION Respiratory Protection: Ventilation: Protective Gloves(Specify Type): Eye Protection(Specify Type):	Small spills of one gallon or less ma permitted by local sewer regulations to containers for disposal. Keep spi Dispose of in compliance with all feet ON INFORMATION Not normally required when good get II) are exceeded or respiratory irritat use-conditions and chemicals in Seprovide good general ventilation. Let Rubber or other impervious gloves a Splash goggles are recommended to	y be flushed with plenty of w.). Dike and contain large sp. Il out of storm sewers and w. deral, state and local laws ar eneral ventilation is provided ion occurs, use of a NIOSH ction II should be considered ocal exhaust ventilation may are recommended. o prevent eye contact.	vater to sanitary sewer system (If bills with inert material and transfer liquid aterways. Ind regulations. Indicate the ways are limits (see Section approved respirator suitable for the it.
Steps to be Taken in Case Material is Released or Spilled: Waste Disposal Method: SECTION VIII: SPECIAL PROTECTIO Respiratory Protection: Ventilation: Protective Gloves(Specify Type):	Small spills of one gallon or less ma permitted by local sewer regulations to containers for disposal. Keep spi Dispose of in compliance with all feet ON INFORMATION Not normally required when good get II) are exceeded or respiratory irritat use-conditions and chemicals in Seprovide good general ventilation. Let Rubber or other impervious gloves a Splash goggles are recommended to	y be flushed with plenty of w.). Dike and contain large sp. Il out of storm sewers and w. deral, state and local laws ar eneral ventilation is provided ion occurs, use of a NIOSH ction II should be considered ocal exhaust ventilation may are recommended. o prevent eye contact.	vater to sanitary sewer system (If bills with inert material and transfer liquid aterways. Ind regulations. Indicate the ways are limits (see Section approved respirator suitable for the id.
SECTION VII: SPILL OR LEAK PROC Steps to be Taken in Case Material is Released or Spilled: Waste Disposal Method: SECTION VIII: SPECIAL PROTECTION Respiratory Protection: Ventilation: Protective Gloves(Specify Type): Eye Protection(Specify Type): Other Protective Equipment:	Small spills of one gallon or less ma permitted by local sewer regulations to containers for disposal. Keep spi Dispose of in compliance with all feet ON INFORMATION Not normally required when good get II) are exceeded or respiratory irritat use-conditions and chemicals in Seprovide good general ventilation. Let Rubber or other impervious gloves a Splash goggles are recommended to For further reference see 29 CFR 19	y be flushed with plenty of w.). Dike and contain large sp. Il out of storm sewers and w. deral, state and local laws ar eneral ventilation is provided ion occurs, use of a NIOSH ction II should be considered ocal exhaust ventilation may are recommended. o prevent eye contact.	vater to sanitary sewer system (If bills with inert material and transfer liquid aterways. Ind regulations. Indicate the ways are limits (see Section approved respirator suitable for the it.
SECTION VII: SPILL OR LEAK PROCE Steps to be Taken in Case Material is Released or Spilled: Waste Disposal Method: Waste Disposal Method: SECTION VIII: SPECIAL PROTECTION Respiratory Protection: Ventilation: Protective Gloves(Specify Type): Eye Protection(Specify Type): Other Protective Equipment: SECTION IX: SPECIAL PRECAUTION	Small spills of one gallon or less ma permitted by local sewer regulations to containers for disposal. Keep spi Dispose of in compliance with all feet ON INFORMATION Not normally required when good gell) are exceeded or respiratory irrital use-conditions and chemicals in Seprovide good general ventilation. Lendber or other impervious gloves a Splash goggles are recommended to For further reference see 29 CFR 19	y be flushed with plenty of w.). Dike and contain large sp. Il out of storm sewers and w. deral, state and local laws ar eneral ventilation is provided ion occurs, use of a NIOSH ction II should be considered ocal exhaust ventilation may are recommended. To prevent eye contact. 210.132-138.	vater to sanitary sewer system (If bills with inert material and transfer liquid aterways. Indiregulations. I. However, if exposure limits (see Section approved respirator suitable for the discrete being the system of
SECTION VII: SPILL OR LEAK PROCE Steps to be Taken in Case Material is Released or Spilled: Waste Disposal Method: BECTION VIII: SPECIAL PROTECTION Respiratory Protection: Ventilation: Protective Gloves(Specify Type): Eye Protection(Specify Type): Other Protective Equipment: SECTION IX: SPECIAL PRECAUTION	Small spills of one gallon or less ma permitted by local sewer regulations to containers for disposal. Keep spi Dispose of in compliance with all fee ON INFORMATION Not normally required when good ge II) are exceeded or respiratory irritat use-conditions and chemicals in Se Provide good general ventilation. Le Rubber or other impervious gloves a Splash goggles are recommended to For further reference see 29 CFR 19 NS Do not use with other chemicals. Michlorine (hypochlorite) bleach, may	y be flushed with plenty of w.). Dike and contain large sp. Il out of storm sewers and w. deral, state and local laws ar eneral ventilation is provided ion occurs, use of a NIOSH ction II should be considered ocal exhaust ventilation may are recommended. To prevent eye contact. 210.132-138.	vater to sanitary sewer system (If bills with inert material and transfer liquid aterways. Indiregulations. I. However, if exposure limits (see Section approved respirator suitable for the discrete being the system of
SECTION VII: SPILL OR LEAK PROCE Steps to be Taken in Case Material is Released or Spilled: Waste Disposal Method: BECTION VIII: SPECIAL PROTECTION Respiratory Protection: Ventilation: Protective Gloves(Specify Type): Eye Protection(Specify Type): Other Protective Equipment: BECTION IX: SPECIAL PRECAUTION Precautions; Handling & Storing:	Small spills of one gallon or less ma permitted by local sewer regulations to containers for disposal. Keep spi Dispose of in compliance with all fee ON INFORMATION Not normally required when good ge II) are exceeded or respiratory irritat use-conditions and chemicals in Seprovide good general ventilation. Le Rubber or other impervious gloves a Splash goggles are recommended to For further reference see 29 CFR 1900 Do not use with other chemicals. Michlorine (hypochlorite) bleach, may	y be flushed with plenty of w.). Dike and contain large sp. Il out of storm sewers and w. deral, state and local laws ar eneral ventilation is provided ion occurs, use of a NIOSH ction II should be considered ocal exhaust ventilation may are recommended. To prevent eye contact. 210.132-138.	vater to sanitary sewer system (If bills with inert material and transfer liquid aterways. Indiregulations. I. However, if exposure limits (see Section approved respirator suitable for the discrete being the system of
Steps to be Taken in Case Material is Released or Spilled: Waste Disposal Method: Waste Disposal Method: SECTION VIII: SPECIAL PROTECTION Respiratory Protection: Ventilation: Protective Gloves(Specify Type): Eye Protection(Specify Type): Other Protective Equipment: SECTION IX: SPECIAL PRECAUTION Precautions; Handling & Storing:	Small spills of one gallon or less ma permitted by local sewer regulations to containers for disposal. Keep spi Dispose of in compliance with all fee ON INFORMATION Not normally required when good ge II) are exceeded or respiratory irritat use-conditions and chemicals in Se Provide good general ventilation. Le Rubber or other impervious gloves a Splash goggles are recommended to For further reference see 29 CFR 19 Do not use with other chemicals. Michlorine (hypochlorite) bleach, may Keep out of reach of children.	y be flushed with plenty of w.). Dike and contain large sp. Il out of storm sewers and w. deral, state and local laws are eneral ventilation is provided ion occurs, use of a NIOSH ction II should be considered ocal exhaust ventilation may are recommended. To prevent eye contact. 210.132-138.	vater to sanitary sewer system (If bills with inert material and transfer liquid aterways. Indiregulations. I. However, if exposure limits (see Section approved respirator suitable for the discrete by the necessary for some operations. The chemicals, particularly those containing xic gases.

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.

