

**** MATERIAL SAFETY DATA SHEET ****

22214- STABIL Fuel Stabilizer

SEC 1 - PRODUCT AND MANUFACTURER INFO SEC 9 - PHYS, CHEM PROPERTIES SEC
2 - COMPOSITION INFORMATION SEC 10 - STABILITY, REACTIVITY SEC 3 -
HAZARDS IDENTIFICATION SEC 11 - TOXICOLOGY INFORMATION SEC 4 - FIRST
AID MEASURES SEC 12 - ECOLOGICAL INFORMATION SEC 5 - FIRE FIGHTING
MEASURES SEC 13 - DISPOSAL CONSIDERATIONS SEC 6 - ACCIDENTAL RELEASE
MEASURES SEC 14 - TRANSPORT INFORMATION SEC 7 - HANDLING AND STORAGE
SEC 15 - REGULATORY INFORMATION SEC 8 - EXPOSURE, PERS. PROTECTION SEC
16 - ADDITIONAL INFORMATION

**** SECTION 1 - CHEMICAL PRODUCT AND MANUFACTURER IDENTIFICATION ****

Product Name: 22214- STABIL Fuel Stabilizer Part Number: 22214 Product
CAS: Mixt-ur-e Product Code: N/A Synonyms: 22214 - STABIL Fuel
Stabilizer ; 22214- STABIL Fuel Stabilizer MANUFACTURER IDENTIFICATION
Name: Gold Eagle Company Address: 4400 S. Kildare Blvd. City: Chicago
State: IL Zip: 60632-4372 For information call: 773-376-4400 Emergency
Number: N/A Emergency Agency: INFOTRAC Agency Number: 1-800-535-5053
MSDS Effective Date: 5/3/2005 MSDS Supersedes Date: 5/3/2005
Miscellaneous: Product CAS: Mixture

Brief Description: Fuel stabilizer for gasoline powered engines.

Return to top

**** SECTION 2 - COMPOSITION, INFORMATION ON INGREDIENTS **** Chemical

Name CAS MIN MAX Additive Mixture (none) 0 5 Petroleum Distillate
64742-53-6 0 95

Miscellaneous: CHEMICAL NAME LIMIT VALUES Additive Mixture
(CAS#:Mixture) N/A Petroleum Distillate N/A Return to top

**** SECTION 3 - HAZARDS IDENTIFICATION **** EMERGENCY OVERVIEW:

NFPA: Health: 1 Fire: 1 Reactivity: 0 Specific Hazard: None

HMS: Health: 1 Flammability: 1 Reactivity: 0 PPE: B

Miscellaneous: This product does not contain any components above de
minimus concentrations that nic by OSHA, IARC or NTP.

are considered carcinogePOTENTIAL HEALTH EFFECTS Target Organs/Primary
Route(s) of Entry: Eye: Mild irritant.

Skin: Mild irritant

Ingestion: Toxicity is relatively low, there is a risk of aspiration of
product into the lungs. On ingestion of large quantities, slight GI
discomfort diarrhea, and headache may occur. Small doses may produce
irritation and diarrhea.

Inhalation: Low risk of inhalation. Mists above TLV may cause chemical
pneumonitis.

Miscellaneous:

Return to top

**** SECTION 4 - FIRST AID MEASURES ****

Eye: If the product contacts the eyes, immediately wash the eyes with
large quantities of room temperature water for at least 15 minutes,
occasionally lifting the lower and upper lids. Get medical attention
immediately.

Skin: If the product contacts the skin, promptly wash the contaminated
skin with soap and water for at least 15 minutes. If this product
penetrates the clothing, promptly remove the clothing and wash the skin
with soap and water.

Ingestion: Do not induce vomiting, product contains petroleum
distillate. Get medical attention immediately.

Inhalation: Move the exposed person to fresh air at once and call
emergency medical care. If breathing has stopped, give artificial
respiration. If breathing is difficult, give humidified oxygen.

Notes to Physician: No data available.

Return to top

**** SECTION 5 - FIRE FIGHTING MEASURES **** Flash Point: 183 F TOC
AutoIgnition Temperature: N/A Flammable Limits Lower Limit: Explosive
Limit (LEL): 0.8 Upper Limit: Explosive Limit (UEL): 7.0 Extinguishing
Media: Use carbon dioxide, dry chemical, foam and/or water fog as
extinguishing media.

Unusual Fire and Explosion Hazards: Water may cause frothing Special
Fire Fighting Procedures: Wear NIOSH approved SCBA respirator in the
positive pressure mode and chemical protective clothing.

General Information: Flammable Limits: 0.8 to 7.0 Return to top

**** SECTION 6 - ACCIDENTAL RELEASE MEASURES **** Small Spill: Remove
sources of heat or ignition, provide adequate ventilation, contain leak
using absorbent, inert, non-combustible material.

Large Spill: Contain spill, transfer to secure containers. In the event
of an uncontrolled material release, the user should determine if
release is reportable under applicable laws and regulations.

Return to top

**** SECTION 7 - HANDLING AND STORAGE ****

Handling: See other sections of MSDS.

Storage: See other sections of MSDS.

Return to top

**** SECTION 8 - EXPOSURE CONTROLS, PERSONAL PROTECTION **** GENERAL
HYGIENE CONSIDERATIONS: Use normal hygiene practices.

OTHER PRECAUTIONS: Product is combustible, handle accordingly.

ENGINEERING CONTROLS: Local Exhaust: Provide local ventilation to
maintain exposure levels below recommended exposure limits.

Mechanical (General): In confined spaces, mechanical ventilation may be
required.

Special Ventilation: OSHA TWA=5mg/m³

PERSONAL PROTECTIVE EQUIPMENT Eyes/face: Use splash proof chemical,
safety goggles or appropriate full-face respirator.

Skin: Use oil impervious gloves as required.

Respirators: Normally none is required. If high vapor or mist
concentration are expected, use appropriate NIOSH approved respirator
for organic vapors and mists. Respirators must be selected based on the
airborne levels found in the workplace and must not exceed the working
limits of the respirator.

Other Protective Clothing/Equipment: If there is a possibility of
exposure of an individual's body to the product, wear body-covering
work clothes to avoid prolonged or repeated exposure.

Return to top

**** SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES ****

Appearance/Odor: Red liquid, solvent odor

pH: N/A

Vapor Pressure: (MM HG): LT 3.0

Vapor Density(Air=1): 4.8

Evaporation Rate: N/A

Viscosity: N/A

Boiling Point: 180 F.

Freezing/Melting Point: N/A

Decomposition Temperature: N/A

Solubility in Water: Negligible

Specific Gravity: 0.9

Molecular Formula: N/A

Molecular Weight: N/A

VOC Coating (minus water): 0 Lbs/Gallon

Coating Density : 0 Lbs/Gallon

Solvent Density : 0 Lbs/Gallon
Percent Solvent (volume): 60
Percent Solids (volume): 0
Percent Water (volume): 0
Percent Volatile by Weight: 0
Miscellaneous: % Volatile/Volume: 100.0
Percent Solvent (Volume): N/A
Percent Solids (Volume): N/A
Percent Water (Volume): N/A
Product is combustible, keep away from sources of ignition, oxidizing materials and acid. Store in an area equipped with automatic sprinklers or fire extinguishing system. Empty containers contain product residues, assume emptied containers to have same hazards as full containers.

Return to top

**** SECTION 10 - STABILITY AND REACTIVITY **** Chemical Stability:
Stable: Yes Conditions to Avoid: Store below 150 F. Do not apply high heat or flame to container. Keep separate from strong oxidizing agents.
Incompatibilities with Other Materials: Strong oxidants.
Hazardous Decomposition Products: Excessive heating and/or incomplete combustion will produce carbon monoxide.
Hazardous Polymerization: Hazardous polymerization may occur: No Return to top

**** SECTION 11 - TOXICOLOGICAL INFORMATION **** No data available.

Return to top

**** SECTION 12 - ECOLOGICAL INFORMATION **** No data available.

Return to top

**** SECTION 13 - DISPOSAL CONSIDERATIONS **** Dispose of product in accordance with local, state, and federal regulations. Before attempting clean up, refer to other sections of MSDS for hazard warning information.

Return to top

**** SECTION 14 - TRANSPORT INFORMATION **** Transportation Information: Shipping Information (CFR 49 and IMDG):
Proper Shipping Name: Gasoline Additive, N.O.I.
DOT Hazard Class: Not applicable
DOT UN Number: None applicable
IMDG Shipping Name: Non-Hazardous Gasoline Additive Flashpoint GT 141.5 F.

Label Information: No data available.

Return to top

**** SECTION 15 - REGULATORY INFORMATION **** SARA Title III:

Section 302: None

Section 304: None

Section 311: None

Section 313: None

CERCLA:

Section 311(b)(4): Requires discharges of crude oil and petroleum products in any kind or form to waters must immediately be reported to the National Response Center at (800) 424-8802.

Return to top

**** SECTION 16 - ADDITIONAL INFORMATION ****

Disclaimer: Information presented herein is believed to be factual, as it has been derived from the works and opinions of persons believed to be qualified experts. However, nothing contained in this information is to be taken as warranty or representation for which the Gold Eagle Co. bears legal responsibility. The user should review any recommendations

in the specific context of the intended use to determine whether they are appropriate.

Prepared by: Mike Profetto